

Component Development Kit Guide

Developing custom components for use in RichFaces 4 (*draft*) projects

by Sean Rogers (Red Hat)

DRAFT

1. Introduction	1
2. Configuration	3
3. Creating a new component	5
3.1. Creating a project	5
3.2. Building a component skeleton	5
3.3. Creating the UI	5
3.4. Registering resources	5
3.5. Extending the UIInput Class	5
3.6. Configuring the component	5
3.7. Tags and descriptors	5
4. Using components in projects	7
5. Developer sample	9
6. Unit testing	11
7. Creating components in other environments	13
A. Naming conventions	15
B. Template tags reference	17

Introduction

This is a test paragraph

DRAFT

Configuration

This is a test paragraph

DRAFT

Creating a new component

This is a test paragraph

3.1. Creating a project

Test of a section

3.2. Building a component skeleton

Test of a section

3.3. Creating the UI

Test of a section

3.4. Registering resources

Test of a section

3.5. Extending the UIInput Class

Test of a section

3.6. Configuring the component

Test of a section

3.7. Tags and descriptors

Test of a section

Using components in projects

This is a test paragraph



Developer sample

This is a test paragraph

DRAFT

Unit testing

This is a test paragraph

DRAFT

Creating components in other environments

Creating components in other environments



Appendix A. Naming conventions

This is a test paragraph



Appendix B. Template tags reference

This is a test paragraph



